

Active performance jersey



7-inch inseam

Topstitching detail at bottom hem

**THE AUTHENTIC T-SHIRT COMPANY®**  
**Youth Pro Team Short - Y355**

**Product Features:**

- 6-oz, 100% polyester jersey knit
- Easy care fabric
- Moisture wicking
- Elastic waist with no drawstring for safety
- Double-needle hem
- 7-inch inseam
- Cationic dye process resistant to color bleeding

**Youth sizes S (6-8), M (10-12), L (14-16), XL (18-20)**

Corresponding styles:

Pro Team Short - S355

Adult/Ladies/Youth Pro Team Tee - S350/L350/Y350

Pro Team Long Sleeve Tee - S350LS

**Fabric Detail:**



**Available Colours and PMS Colours**

Textile fabric colours are subject to dye lot variation and will not be exact match to print pantone reference

Black	True Navy	True Red	True Royal	Forest Green
Black 6C	539C	200C	Between 7686C & 7687C	7736C



**Smart Uses:**

A staple for any team, the pro-team shorts will keep you cool and dry through the whole standing ovation!

- Schools/camps
- Gift giving
- Sports teams & events
- Coaches/athletes
- Donations/ door prizes
- And much more!

## Y355 - THE AUTHENTIC T-SHIRT COMPANY® Youth Pro Team Short

### GARMENT MEASUREMENTS

Finished Measurements in Inches

Size	S	M	L	XL
Waist (relaxed)	10 1/2	11	11 1/2	12
Inseam	7	7	7	7
Outseam	16	16 1/2	17	17 1/2

### YOUTH SIZING CHART

	S	M	L	XL
Numeric Size	6-8	10-12	14-16	18-20



### PRINTING INSTRUCTIONS FOR POLYESTER WICKING FABRICS

Due to the nature of 100% polyester performance fabrics, special care must be taken throughout the printing process. Here are some tips to effectively decorate our performance products.

- Garment temperature must not exceed 320°F or 160°C. Exceeding this temperature will cause the fabric to shrink, become wavy or cause dye migration.
- Dryer temperature and belt speeds must be changed accordingly for polyester fabric.
- If flashing these garments, do not exceed 1-2 seconds. Anything longer may damage the fabric as stated above.
- **Screen Printing:** These garments require the use of poly inks that cures at a lower temperature. A Dyno Grey base blocker on all colours and a second white base blocker on all dark colours are recommended. Please consult your ink supplier for more information.
- Polyester requires a longer cooling time than cotton. Avoid overlap of garments and screen-print/heat transfer until the garments are cooled. Failure to cool the fabric prior to stacking into a printer's fold may cause the fabric and applied ink to stick together.
- **Heat Transfers:** Poly mark heat transfers need to be created with an anti-migration layer in the design. This process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- **Sublimation Printing:** As noted for the poly mark heat transfers, this process can only be done on white or very light colour shirts. Inks used in printing paper design needs to be darker than the base fabric or colour will migrate with the fabric colour resulting in a bleeding effect.
- If you heat press these garments, you must adjust the time, temperature and pressure. Failure to do so may damage the fabric as stated above.
- A test sample run is recommended, especially if you have a large order or if your printer does not specialize in printing on performance fabrics.